

WEST Search History

[Hide Items](#) [Restore](#) [Clear](#) [Cancel](#)

DATE: Saturday, May 21, 2005

<u>Hide?</u>	<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>
<i>DB=PGPB, USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L98	l92 and design object model	1
<input type="checkbox"/>	L97	l92 same design object model	0
<input type="checkbox"/>	L96	l2 same design object model	0
<input type="checkbox"/>	L95	l2 same meta-design object model	0
<input type="checkbox"/>	L94	l92 same (transmit\$4 or transfer\$4 or send\$4) with (server or site)	8
<input type="checkbox"/>	L93	L92 and l87 client same (translat\$4 or conver\$8 or transform\$8 or interpret\$4) same (application or CAD or microsoft project or project schedule or excel or	6
<input type="checkbox"/>	L92	proengineer or solidworks or structur\$3) same (independent or platform-independent or source-independet or source independent or neutral) near5 (format or form) client same (translat\$4 or conver\$8 or transform\$8 or interpret\$4) same	524
<input type="checkbox"/>	L91	structur\$3 near5 (data or application) same (source-independet or source independent or neutral) near5 (format or from)	1
<input type="checkbox"/>	L90	client same (translat\$4 or conver\$8 or transform\$8) near5 structur\$3 near3 (data or application) same (source-independet or source independent or neutral) near5 (format or from)	1
<input type="checkbox"/>	L89	client same (tranlat\$4 or conver\$8 or transform\$8) near5 structur\$3 near3 (data or application) same (source-independet or source independent or neutral) adj3 (format or from)	1
<input type="checkbox"/>	L88	L87 and l76	2
<input type="checkbox"/>	L87	715/513.ccls.	2006
<i>DB=USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L86	L85 and @pd > 20050329	0
<input type="checkbox"/>	L85	L82 and L66	0
<input type="checkbox"/>	L84	L82 and L76	0
<i>DB=PGPB; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L83	L82 and L76	0
<input type="checkbox"/>	L82	345/\$.ccls.	13312
<input type="checkbox"/>	L81	L80 and @pd > 20041206 (CAD or microsoft or geometric or project or project schedule or excel or	0
<input type="checkbox"/>	L80	proengineer or solidworks or powerpoint)with (conver\$6 or translat\$4) with (independent or neutral or platform-independent or platform independent) same client same server	1

DB=USPT; PLUR=YES; OP=ADJ

- (CAD or microsoft or geometric or project or project schedule or excel or
 L79 proengineer or solidworks or powerpoint)with (conver\$6 or translat\$4) with
 (independent or neutral or platform-independent or platform independent) same client same server 2
- L78 L77 and L76 13
- L77 709/\$.ccls. 17870
- (CAD or microsoft or geometric or project or project schedule or excel or
 L76 proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same
 (independent or neutral or platform-independent or platform independent) receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or
 L75 excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same
 (independent or neutral or platform-independent or platform independent) receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or
 L74 excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same
 (independent or neutral or platform-independent) receiv\$3 near5(CAD or microsoft or geometric or project or project schedule or
 L73 excel or proengineer or solidworks or powerpoint)same (conver\$6 or translat\$4) same
 (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4)
 (conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or
 L72 project schedule or excel or proengineer or solidworks or powerpoint)same
 (independent or neutral or platform-independent) same bid\$4 1
- (conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or
 L71 project schedule or excel or proengineer or solidworks or powerpoint)same
 (independent or neutral or platform-independent) same notif\$10 1
- L70 (conver\$6 or translat\$4) with CAD with(independent or neutral or platform-
 independent) with (format or form) 6
- L69 L68 and (conver\$6 or translat\$6) 5
- L68 6295513[uref] 14
- L67 L66 same client same (server or site or web server) 10
- (conver\$6 or translat\$4) same (source code or CAD or microsoft or geometric or
 L66 project or project schedule or excel or proengineer or solidworks or powerpoint)
 same (independent or neutral or platform-independent) 505
- L65 L64 and L56 4
- (conver\$6 or translat\$4) same (CAD or microsoft or geometric or project or
 L64 project schedule or excel or proengineer or solidworks or powerpoint)same
 (independent or neutral or platform-independent)near5 (format or form or
 language or application or software pr prgram) 48
- L63 L61 and L58 3
- L62 L61 and L56 1
- receiv\$3 near5 (CAD or microsoft or software or project or project schedule or
 L61 excel or proengineer or solidworks)same(conver\$6 or translat\$4)same
 (independent or neutral or platform-independent) 41
- receiv\$3 near5 (CAD or microsoft or software or project or project schedule or

<input type="checkbox"/>	L60	excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server) same notif\$6	0
<input type="checkbox"/>	L59	L58 and L55	26
<input type="checkbox"/>	L58	715/\$.ccls.	12768
<input type="checkbox"/>	L57	L56 and L55	72
<input type="checkbox"/>	L56	717/\$.ccls. (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form)	4974
<input type="checkbox"/>	L55	(accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4)	309
<input type="checkbox"/>	L54	(accept\$3 or receiv\$4 or provid\$4) same (application or CAD or microsoft or project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4)	19
<input type="checkbox"/>	L53	(accept\$3 or receiv\$4)near5 (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral or platform-independent) near5 (format or form) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	3
<input type="checkbox"/>	L52	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (application or cad or microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral) same(transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	10
<input type="checkbox"/>	L51	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (application or cad microsoft project or project schedule or excel or proengineer or solidworks)same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
<input type="checkbox"/>	L50	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (application or cad microsoft project or project schedule or excel or proengineer or solidworks) same(conver\$6 or translat\$4)same (independent or neutral) near5 format	3
<input type="checkbox"/>	L49	(conver\$6 or translat\$4)near5 source code same (independent or neutral) near5 format	5
<input type="checkbox"/>	L48	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format	5
<input type="checkbox"/>	L47	(conver\$6 or translat\$4)near5 source codes same (independent or neutral) near5 format same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	0
<input type="checkbox"/>	L46	(application or code or source or structured data) same (conver\$6 or translat\$4) same (independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) same (server or web server)	67
<input type="checkbox"/>	L45	(application or code or source or structured data) same (conver\$6 or translat\$4) near5(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	1
<input type="checkbox"/>	L44	(accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or translat\$4) same(data or application or code or source) near5(independent or neutral)	58
		(accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or	

<input type="checkbox"/>	L43	translat\$4 same(data or application or code or source) same(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server) (accept\$3 or receiv\$4)near5 (client or interface or browser)same (conver\$6 or translat\$4) with(data or application or code or source) with(independent or neutral) same (transfer\$4 or transmit\$4 or forward\$4) near5 (server or web server)	7
<input type="checkbox"/>	L42	(conver\$6 or translat\$4) with(data or application or code or source) with(independent or neutral)	1
<input type="checkbox"/>	L41	(conver\$6 or translat\$4) same (data or application or code or source) same (independent or neutral)	3217
<input type="checkbox"/>	L40	(conver\$6 or translat\$4) same (data or application or code or source) same (independent or neutral)	15227
<i>DB=PGPB,USPT; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L39	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) with (format or structure)	4
<input type="checkbox"/>	L38	(back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	3
<i>DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ</i>			
<input type="checkbox"/>	L37	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	0
<input type="checkbox"/>	L36	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure)	1
<input type="checkbox"/>	L35	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same original near5 (format or structure)	1
<input type="checkbox"/>	L34	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) sameoriginal near5 (format or structure)	0
<input type="checkbox"/>	L33	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) with original adj3 (format or structure)	1
<input type="checkbox"/>	L32	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) near5(data or structure or file or object or information or application) near5 original adj3 (format or structure)	1
<input type="checkbox"/>	L31	(back-referenc\$4 or back referenc\$4) with(original or source) with(data or structure or file or object or information)	11
<input type="checkbox"/>	L30	(back-reference or back reference) with(original or source) with(data or structure or file or object)	10
<input type="checkbox"/>	L29	(back-reference or back reference) same(original or source) same(data or structure or file or object)	57
<input type="checkbox"/>	L28	(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8	4

- L27 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) same(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8 2
- L26 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) with(back-reference or back reference) with(original or source) with(data or structure or file or object) same modif\$8 1
- DB=PGPB; PLUR=YES; OP=ADJ*
- L25 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8 1
- DB=USPT; PLUR=YES; OP=ADJ*
- L24 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8 0
- L23 6295513.pn. 1
- L22 5664180.pn. 1
- L21 5664180 11
- DB=PGPB,USPT; PLUR=YES; OP=ADJ*
- L20 L19 and @pd > 20050329 0
- L19 (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) with (format or structure) 4
- L18 (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure) 3
- DB=USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ*
- L17 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure) 0
- DB=PGPB,USPT; PLUR=YES; OP=ADJ*
- L16 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same (source or original) near5 (format or structure) 1
- L15 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) same (data or structure or file or object or information or application) same original near5 (format or structure) 1
- L14 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) sameoriginal near5 (format or structure) 0
- L13 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) with (data or structure or file or object or information or application) with original adj3 (format or structure) 1
- L12 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) same (back-referenc\$4 or back referenc\$4 or reconsil\$8) near5(data or structure or file or object or information or application) near5 original adj3 (format or structure) 1

<input type="checkbox"/>	L11	(back-referenc\$4 or back referenc\$4) with(original or source) with(data or structure or file or object or information)	11
<input type="checkbox"/>	L10	(back-reference or back reference) with(original or source) with(data or structure or file or object)	10
<input type="checkbox"/>	L9	(back-reference or back reference) same(original or source) same(data or structure or file or object)	57
<input type="checkbox"/>	L8	(back-reference or back reference) same(original or source) same(data or structure or file or object) same modif\$8 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) same(back-reference or back	4
<input type="checkbox"/>	L7	reference) same(original or source) same(data or structure or file or object) same modif\$8 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) with(back-reference or back	2
<input type="checkbox"/>	L6	reference) with(original or source) with(data or structure or file or object) same modif\$8 (maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back	1
		<i>DB=PGPB; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L5	reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	1
		<i>DB=USPT; PLUR=YES; OP=ADJ</i>	
<input type="checkbox"/>	L4	(maintain\$4 or keep\$4 or creat\$4 or establish\$4) near5 (back-reference or back reference) near5 (original or source) near5 (data or structure or file or object) same modif\$8	0
<input type="checkbox"/>	L3	6295513.pn.	1
<input type="checkbox"/>	L2	5664180.pn.	1
<input type="checkbox"/>	L1	5664180	11

END OF SEARCH HISTORY